

Dear Families:

Please find below our Concussion Information Form. Please go over this information with your participant(s) Thank You, Rec Staff



Concussion Information Sheet

A concussion is a brain injury and all brain injuries are serious. They are caused by a bump, blow, or jolt to the head, or by a blow to another part of the body with the force transmitted to the head. They can range from mild to severe and can disrupt the way the brain normally works. Even though most concussions are mild, **all concussions are potentially serious and may result in complications including prolonged brain damage and death if not recognized and managed properly.** In other words, even a “ding” or a bump on the head can be serious. You can’t see a concussion and most sports concussions occur without loss of consciousness. Signs and symptoms of concussion may show up right after the injury or can take hours or days to fully appear. If your child reports any symptoms of concussion, or if you notice the symptoms or signs of concussion yourself, seek medical attention right away.

Symptoms may include one or more of the following:

- | | |
|--|--|
| <ul style="list-style-type: none">• Headaches• “Pressure in head”• Nausea or vomiting• Neck pain• Balance problems or dizziness• Blurred, double, or fuzzy vision• Sensitivity to light or noise• Feeling sluggish or slowed down• Feeling foggy or groggy• Drowsiness• Change in sleep patterns | <ul style="list-style-type: none">• Amnesia• “Don’t feel right”• Fatigue or low energy• Sadness• Nervousness or anxiety• Irritability• More emotional• Confusion• Concentration or memory problems (forgetting game plays)• Repeating the same question/comment |
|--|--|

Signs observed by teammates, parents and coaches include:

- | | |
|--|---|
| <ul style="list-style-type: none">• Appears dazed• Vacant facial expression• Confused about assignment• Forgets plays• Is unsure of game, score, or opponent• Moves clumsily or displays in-coordination• Answers questions slowly | <ul style="list-style-type: none">• Slurred speech• Shows behavior or personality changes• Can’t recall events prior to hit• Can’t recall events after hit• Seizures or convulsions• Any change in typical behavior or personality• Loses consciousness |
|--|---|

What can happen if my child keeps on playing with a concussion or returns to soon?

Adapted from the CDC and the 3rd International Conference on Concussion in Sport
Document created 6/15/2009

****OVER****

Concussion Information Sheet

Athletes with the signs and symptoms of concussion should be removed from play immediately. Continuing to play with the signs and symptoms of a concussion leaves the young athlete especially vulnerable to greater injury. There is an increased risk of significant damage from a concussion for a period of time after that concussion occurs, particularly if the athlete suffers another concussion before completely recovering from the first one. This can lead to prolonged recovery, or even to severe brain swelling (second impact syndrome) with devastating and even fatal consequences. It is well known that adolescent or teenage athlete will often under report symptoms of injuries. And concussions are no different. As a result, education of administrators, Coaches, parents and students is the key for student-athlete's safety.

If you think your child has suffered a concussion

Any athlete even suspected of suffering a concussion should be removed from the game or practice immediately. No athlete may return to activity after an apparent head injury or concussion, regardless of how mild it seems or how quickly symptoms clear, without medical clearance. Close observation of the athlete should continue for several hours. The new "Zackery Lystedt Law" in Washington now requires the consistent and uniform implementation of long and well-established return to play concussion guidelines that have been recommended for several years:

"a youth athlete who is suspected of sustaining a concussion or head injury in a practice or game shall be removed from competition at that time"

and

"...may not return to play until the athlete is evaluated by a licensed health care provider trained in the evaluation and management of concussion and received written clearance to return to play from that health care provider".

You should also inform your child's coach if you think that your child may have a concussion Remember its better to miss one game than miss the whole season. And when in doubt, the athlete sits out.

For current and up-to-date information on concussions you can go to:

<http://www.cdc.gov/ConcussionInYouthSports/>

Adapted from the CDC and the 3rd International Conference on Concussion in Sport
Document created 6/15/2009

****OVER****

Youth Sports – Head Injury Policy *Compliance Statement for HB 1824*

NEW SECTION. **Sec. 2.** A new section is added to chapter 28A.600 RCW to read as follows:

(1)(a) Concussions are one of the most commonly reported injuries in children and adolescents who participate in sports and recreational activities. The centers for disease control and prevention estimates that as many as three million nine hundred thousand sports-related and recreation-related concussions occur in the United States each year. A concussion is caused by a blow or motion to the head or body that causes the brain to move rapidly inside the skull. The risk of catastrophic injuries or death are significant when a concussion or head injury is not properly evaluated and managed.

(b) Concussions are a type of brain injury that can range from mild to severe and can disrupt the way the brain normally works. Concussions can occur in any organized or unorganized sport or recreational activity and can result from a fall or from players colliding with each other, the ground, or with obstacles. Concussions occur with or without loss of consciousness, but the vast majority occurs without loss of consciousness.

(c) Continuing to play with a concussion or symptoms of head injury leaves the young athlete especially vulnerable to greater injury and even death. The legislature recognizes that, despite having generally recognized return to play standards for concussion and head injury, some affected youth athletes are prematurely returned to play resulting in actual or potential physical injury or death to youth athletes in the state of Washington.

(2) Each school district's board of directors shall work in consort with the Washington interscholastic activities association to develop the guidelines and other pertinent information and forms to inform and educate coaches, youth athletes, and their parents and/or guardians of the nature and risk of concussion and head injury including continuing to play after concussion or head injury. A concussion and head injury information sheet shall be signed and returned by the youth athlete and the athlete's parent and/or guardian prior to the youth athlete's return to practice or competition.

(3) A youth athlete who is suspected of sustaining a concussion or head injury in a practice or game shall be removed from competition at that time.

(4) A youth athlete who has been removed from play may not return to play until the athlete is evaluated by a licensed health care provider trained in the evaluation and management of concussion and receives written clearance to return to play from that health care provider.

(5) This section may be known and cited as the Zackery Lystedt law