



Jefferson County

**JCP&R**  
**5<sup>th</sup> and 6<sup>th</sup> Grade**  
**Spring Soccer League**  
**Spring 2019**

4/1/19

Date	Day	Time	Location	Event	Team	Note
<b>April</b> 8 <sup>th</sup>	Mon	5:30-6:30	MF –Field C	Practice	D.C. United - Seattle Sounders	
		5:30-6:30	MF –Field D	Practice	Columbus Crew	
		5:30-6:30	<b>HJ –Field A</b>	Practice	NY Red Bulls - Portland Timbers	
10 <sup>th</sup>	Wed	5:30-6:30	MF –Field C	Practice	D.C. United - Seattle Sounders	
		5:30-6:30	MF –Field D	Practice	Columbus Crew	
		5:30-6:30	<b>HJ –Field A</b>	Practice	NY Red Bulls - Portland Timbers	
15 <sup>th</sup>	Mon	5:30-6:30	MF –Field C	Practice	D.C. United - Seattle Sounders	
		5:30-6:30	MF –Field D	Practice	Columbus Crew	
		5:30-6:30	<b>HJ –Field A</b>	Practice	NY Red Bulls - Portland Timbers	
17 <sup>th</sup>	Wed	5:30-6:30	MF –Field C	Game	Seattle Sounders vs Columbus Crew	
		5:30-6:30	<b>HJ- Field A</b>	Game	D.C. United vs NY Red Bulls	
		5:30-6:30	<b>HJ- Field</b>	Practice	Portland Timbers	
22 <sup>nd</sup>	Mon	5:30-6:30	MF –Field C	Game	Columbus Crew vs D.C. United	
		5:30-6:30	<b>HJ –Field A</b>	Game	NY Red Bulls vs Portland Timbers	
		5:30-6:30	MF-Field	Practice	Seattle Sounders	
24 <sup>th</sup>	Wed	5:30-6:30	MF –Field C	Game	D.C. United vs Seattle Sounders	
		5:30-6:30	<b>HJ –Field A</b>	Game	Portland Timbers vs Columbus Crew	
		5:30-6:30	<b>HJ –Field</b>	Practice	NY Red Bulls	
29 <sup>th</sup>	Mon	5:30-6:30	MF –Field C	Game	Columbus Crew vs NY Red Bulls	
		5:30-6:30	<b>HJ –Field A</b>	Game	Seattle Sounders vs Portland Timbers	
		5:30-6:30	MF-Field	Practice	D.C. United	
<b>May</b> 1 <sup>st</sup>	Wed	5:30-6:30	MF –Field C	Game	NY Red Bulls vs Seattle Sounders	
		5:30-6:30	<b>HJ –Field A</b>	Game	Portland Timbers vs D.C. United	
		5:30-6:30	MF –Field	Practice	Columbus Crew	

<OVER>

JCPR  
 5<sup>th</sup> & 6<sup>th</sup> Grade Soccer League  
 Spring 2019  
 Page 2...

Date	Day	Time	Location	Event	Team	Note
<u>May</u> 6 <sup>th</sup>	Mon	5:30-6:30	MF –Field C	Game	Seattle Sounders vs Columbus Crew	
		5:30-6:30	HJ –Field A	Game	D.C. United vs NY Red Bulls	
		5:30-6:30	HJ –Field	Practice	Portland Timbers	
8 <sup>th</sup>	Wed	5:30-6:30	MF –Field A	Game	Columbus Crew vs D.C. United	
		5:30-6:30	HJ –Field A	Game	NY Red Bulls vs Portland Timbers	
		5:30-6:30	MF –Field	Practice	Seattle Sounders	
13 <sup>th</sup>	Mon	*****	*****	*****	Rhody Week- Ne event	
15 <sup>th</sup>	Wed	*****	*****	*****	Rhody Week- Ne event	
20 <sup>th</sup>	Mon	5:30-6:30	MF –Field C	Game	D.C. United vs Seattle Sounders	
		5:30-6:30	HJ –Field A	Game	Portland Timbers vs Columbus Crew	
		5:30-6:30	HJ –Field	Practice	NY Red Bulls	
22	Wed	5:30-6:30	MF –Field C	Game	Columbus Crew vs NY Red Bulls	
		5:30-6:30	HJ –Field A	Game	Seattle Sounders vs Portland Timbers	

Please Note:

MF ~ Memorial Field-  
 HJ ~ HJ Carroll Field

Dear Families:

Please find below our Concussion Information Form. Please go over this information with your participant(s) Thank You, Rec Staff



## Concussion Information Sheet

A concussion is a brain injury and all brain injuries are serious. They are caused by a bump, blow, or jolt to the head, or by a blow to another part of the body with the force transmitted to the head. They can range from mild to severe and can disrupt the way the brain normally works. Even though most concussions are mild, **all concussions are potentially serious and may result in complications including prolonged brain damage and death if not recognized and managed properly.** In other words, even a “ding” or a bump on the head can be serious. You can’t see a concussion and most sports concussions occur without loss of consciousness. Signs and symptoms of concussion may show up right after the injury or can take hours or days to fully appear. If your child reports any symptoms of concussion, or if you notice the symptoms or signs of concussion yourself, seek medical attention right away.

### Symptoms may include one or more of the following:

- |  |  |
|--|--|
| <ul style="list-style-type: none"><li>• Headaches</li><li>• “Pressure in head”</li><li>• Nausea or vomiting</li><li>• Neck pain</li><li>• Balance problems or dizziness</li><li>• Blurred, double, or fuzzy vision</li><li>• Sensitivity to light or noise</li><li>• Feeling sluggish or slowed down</li><li>• Feeling foggy or groggy</li><li>• Drowsiness</li><li>• Change in sleep patterns</li></ul> | <ul style="list-style-type: none"><li>• Amnesia</li><li>• “Don’t feel right”</li><li>• Fatigue or low energy</li><li>• Sadness</li><li>• Nervousness or anxiety</li><li>• Irritability</li><li>• More emotional</li><li>• Confusion</li><li>• Concentration or memory problems (forgetting game plays)</li><li>• Repeating the same question/comment</li></ul> |
|--|--|

### Signs observed by teammates, parents and coaches include:

- |  |   |
|--|---|
| <ul style="list-style-type: none"><li>• Appears dazed</li><li>• Vacant facial expression</li><li>• Confused about assignment</li><li>• Forgets plays</li><li>• Is unsure of game, score, or opponent</li><li>• Moves clumsily or displays in-coordination</li><li>• Answers questions slowly</li></ul> | <ul style="list-style-type: none"><li>• Slurred speech</li><li>• Shows behavior or personality changes</li><li>• Can’t recall events prior to hit</li><li>• Can’t recall events after hit</li><li>• Seizures or convulsions</li><li>• Any change in typical behavior or personality</li><li>• Loses consciousness</li></ul> |
|--|---|

### **What can happen if my child keeps on playing with a concussion or returns too soon?**

Adapted from the CDC and the 3rd International Conference on Concussion in Sport  
Document created 6/15/2009

\*\*\*\*OVER\*\*\*\*

## **Concussion Information Sheet**

Athletes with the signs and symptoms of concussion should be removed from play immediately. Continuing to play with the signs and symptoms of a concussion leaves the young athlete especially vulnerable to greater injury. There is an increased risk of significant damage from a concussion for a period of time after that concussion occurs, particularly if the athlete suffers another concussion before completely recovering from the first one. This can lead to prolonged recovery, or even to severe brain swelling (second impact syndrome) with devastating and even fatal consequences. It is well known that adolescent or teenage athlete will often under report symptoms of injuries. And concussions are no different. As a result, education of administrators, Coaches, parents and students is the key for student-athlete's safety.

### **If you think your child has suffered a concussion**

Any athlete even suspected of suffering a concussion should be removed from the game or practice immediately. No athlete may return to activity after an apparent head injury or concussion, regardless of how mild it seems or how quickly symptoms clear, without medical clearance. Close observation of the athlete should continue for several hours. The new "Zackery Lystedt Law" in Washington now requires the consistent and uniform implementation of long and well-established return to play concussion guidelines that have been recommended for several years:

"a youth athlete who is suspected of sustaining a concussion or head injury in a practice or game shall be removed from competition at that time"

**and**

"...may not return to play until the athlete is evaluated by a licensed health care provider trained in the evaluation and management of concussion and received written clearance to return to play from that health care provider".

You should also inform your child's coach if you think that your child may have a concussion Remember its better to miss one game than miss the whole season. And when in doubt, the athlete sits out.

For current and up-to-date information on concussions you can go to:

<http://www.cdc.gov/ConcussionInYouthSports/>

Adapted from the CDC and the 3<sup>rd</sup> International Conference on Concussion in Sport  
Document created 6/15/2009